

Lightning products

Conductors fixings

Roof tree clamp

In compliance with **NF EN 50164-4** standard



Delivered with 1 M6 inox screw

These clips are designed for fixing flat or round conductors on the building roof tree.

Conductors type copper tape 27x2mm, aluminium 30x3mm, inox 30x2mm, galvanized steel 33,5x3mm and round Ø8 and 10mm will be fixed on this piece with AFH6414AC, AFH6406AC and AFH7000AC fixings.



Adjustment of the roofing width by sliding, ½ adjustable circle from 170 to 240mm.

Distance between each fixing will be determined according to (NFC 17102 or NF EN 62305-3) applicable installation standard.

CHARACTERISTICS

Reference :	AFH 6422 AF
Type of installation :	Fixing and support of the tape and conductor
Assembly :	Fixing by clamping with sliding on ridge tiles, delivered with M6 inox screw for clips adaptation PVC AF6414AC, AFH6406AC and AFH7000AC collar
Use :	Down conductor and equipotential connections fixing
Display :	-
Conductors	Tape of section 27x2 to 33,5x3 mm and round Ø8 to 10mm
Material :	Galvanized steel
Dimensions :	140 x 200 x 25 mm
Weight :	0,074 g
Indice of protection :	-
Standards :	NF EN 50164-4

Last update : 09/12/2014

Franklin Technologie © - A full range of lighting and overvoltage protection.
In the continue framework of its products, **Franklin France** shall be entitled to modify specifications without notice